

Package ‘weightedCL’

October 12, 2022

Version 0.5

Date 2022-10-05

Title Efficient and Feasible Inference for High-Dimensional Normal Copula Regression Models

Author Aristidis K. Nikoloulopoulos [aut, cre]

Maintainer Aristidis K. Nikoloulopoulos <a.nikoloulopoulos@uea.ac.uk>

Depends R (>= 3.5.0), matlab,rootSolve,sure,MASS

Description Estimates high-dimensional multivariate normal copula regression models with the weighted composite likelihood estimating equations in Nikoloulopoulos (2022) <[arXiv:2203.04619](#)>. It provides autoregressive moving average correlation structures and binary, ordinal, Poisson, and negative binomial regressions.

License GPL (>= 3.5.0)

NeedsCompilation yes

Repository CRAN

Date/Publication 2022-10-10 05:50:02 UTC

R topics documented:

weightedCL-package	2
cl	2
godambe	5
iee	8
iee.ord	10
margmodel	11
pbvt	13
polio	14
sleep	14
wcl	15
weightMat	18

Index

22

weightedCL-package	<i>Efficient and feasible inference for high-dimensional normal copula regression models</i>
--------------------	--

Description

The weighted composite likelihood estimating equations for high-dimensional normal copula regression models in Nikoloulopoulos (2022).

Details

This package contains R functions to estimate high-dimensional MVN copula regression models with the WCL estimating equations in Nikoloulopoulos (2022). It provides ARMA(p, q) correlation structures and binary, ordinal, Poisson, and negative binomial (both NB1 and NB2 parametrizations) regressions.

Author(s)

Aristidis K. Nikoloulopoulos.

References

Nikoloulopoulos, A.K. (2022) Efficient and feasible inference for high-dimensional normal copula regression models. *Arxiv e-prints*, <arXiv:2203.04619>. <https://arxiv.org/abs/2203.04619>.

Description

Composite likelihood estimation for MVN copula.

Usage

```
c1(p, q, b, gam, xdat, ydat, margmodel, link)
c1.ord(p, q, b, gam, xdat, ydat, link)
```

Arguments

- | | |
|-----|---|
| p | The order of the autoregressive component. |
| q | The order of the moving average component. |
| b | The regression coefficients. |
| gam | The univariate parameters that are not regression coefficients. That is the parameter γ of negative binomial distribution or the q -dimensional vector of the univariate cutpoints of ordinal model. γ is NULL for Poisson and binary regression. |

xdat	The $d \times p$ matrix of covariates, where d is the length of the time-series and p is the number of covariates including the unit first column to account for the intercept (except for ordinal regression where there is no intercept).
ydat	The d -dimensional vector of discrete time series response, where d is the length of the series.
margmodel	Indicates the marginal model. Choices are “poisson” for Poisson, “bernoulli” for Bernoulli, and “nb1”, “nb2” for the NB1 and NB2 parametrization of negative binomial in Cameron and Trivedi (1998).
link	The link function. Choices are “log” for the log link function, “logit” for the logit link function, and “probit” for the probit link function.

Details

The composite likelihood method in Zhao and Joe (2005). The univariate parameters are estimated from the sum of univariate marginal log-likelihoods and then the dependence parameters are estimated from the sum of bivariate marginal log-likelihoods with the univariate parameters fixed from the first step.

Note that `cl.ord` is a variant of the code for ordinal (probit and logistic) regression.

Value

A list containing the following components:

minimum	The negative value of the sum of bivariate marginal log-likelihoods at CL1 estimates.
estimate	The composite likelihood estimates.
gradient	The gradient at the estimated minimum of CL1.
code	An integer indicating why the optimization process terminated, same as in n1m .

Author(s)

Aristidis K. Nikoloulopoulos <A.Nikoloulopoulos@uea.ac.uk>

References

Zhao, Y. and Joe, H. (2005) Composite likelihood estimation in multivariate data analysis. *The Canadian Journal of Statistics*, **33**, 335–356.

See Also

[wcl iee](#)

Examples

```
#####
# NB2 regression for count time-series data
#####
```

```
#####
#           read and set up data set
#####
data(polio)
ydat <-polio
d=length(ydat)
tvec=1:length(ydat)
tvec1=tvec-73
xdat <- cbind(1, tvec1/1000, cos(2 * pi * tvec1 / 12), sin(2 * pi * tvec1 / 12),
               cos(2 * pi * tvec1 / 6), sin(2 * pi * tvec1 / 6))
#####
#           select the marginal model
#####
margmodel="nb2"
#####
#           select the ARMA structure
#####
p=2;q=1
#####
#           perform CL1 estimation
#####
i.est<-iee(xdat,ydat,margmodel)
cat("\nies: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
est.rho<-cl(p=p,q=q,b=i.est$reg,gam=i.est$gam,
             xdat,ydat,margmodel,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
#####
#           Ordinal time-series regression
#####
#####
#           read and set up data set
#####
data(sleep)
ydat=sleep$sleep
bydat=oydat=ydat
bydat[ydat==4]=0
bydat[ydat<4]=1
oydat[ydat==4]=1
oydat[ydat<4]=2
oydat[ydat==2]=3
oydat[ydat==3]=4

x1=sleep$heartrate
x2=sleep$temperature
z1=(x1-mean(x1))/sd(x1)
z2=(x2-mean(x2))/sd(x2)
xdat=cbind(z1,z2)
#####
#           select the link
#####
link="probit"
```

```
#####
#           select the ARMA structure
#####
p=1;q=0
#####
#           perform CL1 estimation
#####
i.est<-iee.ord(xdat,oydat,link)
cat("\niest: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
est.rho<-cl.ord(p=p,q=q,b=i.est$reg,gam=i.est$gam,
                  xdat,oydat,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
```

Description

Asymptotic covariance matrix of the weighted composite likelihood estimates.

Usage

```
godambe(b, gam, rh, p, q, xdat, margmodel, link = "log")
godambe.ord(b,gam,rh,p,q,xdat,link)
```

Arguments

b	The regression coefficients.
gam	The univariate parameters that are not regression coefficients. That is the parameter γ of negative binomial distribution or the q -dimensional vector of the univariate cutpoints of ordinal model. γ is NULL for Poisson and binary regression.
rh	The vector of autoregressive and moving average parameters in high-dimensional normal copula regression models with an ARMA(p, q) correlation matrix.
p	The order of the autoregressive component.
q	The order of the moving average component.
xdat	The $d \times p$ matrix of covariates, where d is the length of the time-series and p is the number of covariates including the unit first column to account for the intercept (except for ordinal regression where there is no intercept).
margmodel	Indicates the marginal model. Choices are “poisson” for Poisson, “bernoulli” for Bernoulli, and “nb1”, “nb2” for the NB1 and NB2 parametrization of negative binomial in Cameron and Trivedi (1998).
link	The link function. Choices are “log” for the log link function, “logit” for the logit link function, and “probit” for the probit link function.

Details

Note that godambe.ord is a variant of the code for ordinal (probit and logistic) regression.

Value

The inverse Godambe matrix.

Author(s)

Aristidis K. Nikoloulopoulos <A.Nikoloulopoulos@uea.ac.uk>

References

- Godambe, V. P. (1991) *Estimating Functions*. Oxford: Oxford University Press
 Nikoloulopoulos, A.K. (2022) Efficient and feasible inference for high-dimensional normal copula regression models. *Arxiv e-prints*, <arXiv:2203.04619>. <https://arxiv.org/abs/2203.04619>.

See Also

`wcl`, `weightMat`

Examples

```
#####
#           NB2 regression for count time-series data
#####
#####
#           read and set up data set
#####

data(polio)
ydat <- polio
d=length(ydat)
tvec=1:length(ydat)
tvec1=tvec-73
xdat <- cbind(1, tvec1/1000, cos(2 * pi * tvec1 / 12), sin(2 * pi * tvec1 / 12),
               cos(2 * pi * tvec1 / 6), sin(2 * pi * tvec1 / 6))
#####
#           select the marginal model
#####
margmodel="nb2"
#####
#           select the ARMA structure
#####
p=2;q=1
#####
#           perform CL1 estimation
#####
i.est<-iee(xdat,ydat,margmodel)
cat("\nies: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
```

```

est.rho<-cl(p=p,q=q,b=i.est$reg,gam=i.est$gam,
             xdat,ydat,margmodel,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
#####
#          obtain the weight matrices
#####
WtScMat<-weightMat(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,
                     p=p,q=q,xdat,margmodel)
#####
#          obtain the weighted composite likelihood estimates
#####
est<-wcl(start=c(i.est$reg,i.est$gam),WtScMat,xdat,ydat,
          margmodel,link)
cat("est=parameter estimates\n")
print(est$r)
#####
#          obtain the inverse Godambe matrix
#####
acov=godambe(b=est$r[-length(est$r)],gam=est$r[length(est$r)],
              rh=est.rho$e,p,q,xdat,margmodel)
cat("\nacov: inverse Godambe matrix\n")
print(acov)
#####
#          Ordinal time-series regression
#####
#####
#          read and set up data set
#####
data(sleep)
ydat=sleep$sleep
bydat=oydat=ydat
bydat[ydat==4]=0
bydat[ydat<4]=1
oydat[ydat==4]=1
oydat[ydat<4]=2
oydat[ydat==2]=3
oydat[ydat==3]=4

x1=sleep$heartrate
x2=sleep$temperature
z1=(x1-mean(x1))/sd(x1)
z2=(x2-mean(x2))/sd(x2)
xdat=cbind(z1,z2)
#####
#          select the link
#####
link="probit"
#####
#          select the ARMA structure
#####
p=1;q=0
#####

```

```

#           perform CL1 estimation
#####
i.est<-iee.ord(xdat,oydat,link)
cat("\niest: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
est.rho<-cl.ord(p=p,q=q,b=i.est$reg,gam=i.est$gam,
                 xdat,oydat,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
#####
#           obtain the weight matrices
#####
WtScMat<-weightMat.ord(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,
                        p=p,q=q,xdat,link)
#####
#           obtain the weighted composite likelihood estimates
#####
est<-wcl.ord(start=c(i.est$reg,i.est$gam),WtScMat,
              xdat,oydat,link)
cat("est=parameter estimates\n")
print(est$r)

#####
#           obtain the inverse Godambe matrix
#####
acov=godambe.ord(b=est$r[1:2],gam=est$r[3:5],
                  rh=est.rho$e,p,q,xdat,link)
cat("\nacov: inverse Godambe matrix\n")
print(acov)

```

iee

*INDEPENDENT ESTIMATING EQUATIONS FOR BINARY AND COUNT REGRESSION***Description**

Independent estimating equations for binary and count regression.

Usage

```
iee(xdat,ydat,margmodel,link)
```

Arguments

- | | |
|------|---|
| xdat | The $d \times p$ matrix of covariates, where d is the length of the time-series and p is the number of covariates including the unit first column to account for the intercept (except for ordinal regression where there is no intercept). |
| ydat | The d -dimensional vector of discrete time series response, where d is the length of the series. |

<code>margmodel</code>	Indicates the marginal model. Choices are “poisson” for Poisson, “bernoulli” for Bernoulli, and “nb1”, “nb2” for the NB1 and NB2 parametrization of negative binomial in Cameron and Trivedi (1998).
<code>link</code>	The link function. Choices are “log” for the log link function, “logit” for the logit link function, and “probit” for the probit link function.

Details

The univariate parameters are estimated from the sum of univariate marginal log-likelihoods.

Value

A list containing the following components:

<code>coef</code>	The vector with the estimated regression parameters.
<code>gam</code>	The vector with the estimated parameters that are not regression parameters. This is NULL for Poisson and binary regression.

Author(s)

Aristidis K. Nikolopoulos <A.Nikolopoulos@uea.ac.uk>

References

Cameron, A. C. and Trivedi, P. K. (1998) *Regression Analysis of Count Data*. Cambridge: Cambridge University Press.

Examples

```
#####
# NB2 regression for count time-series data
#####
#####
# read and set up data set
#####
##### data(polio)
ydat <- polio
d=length(ydat)
tvec=1:length(ydat)
tvec1=tvec-73
xdat <- cbind(1, tvec1/1000, cos(2 * pi * tvec1 / 12), sin(2 * pi * tvec1 / 12),
               cos(2 * pi * tvec1 / 6), sin(2 * pi * tvec1 / 6))
#####
# select the marginal model
#####
margmodel="nb2"

i.est<-iee(xdat,ydat,margmodel)
cat("\nies: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
```

iee.ord*Maximum Likelihood for Ordinal Model***Description**

Maximum Likelihood for Ordinal Probit and Logit: Newton-Raphson minimization of negative log-likelihood.

Usage

```
iee.ord(x,y,link,iprint=0,maxiter=20,toler=1.e-6)
```

Arguments

x	vector or matrix of explanatory variables. Each row corresponds to an observation and each column to a variable. The number of rows of x should equal the number of data values in y, and there should be fewer columns than rows. Missing values are not allowed.
y	numeric vector containing the ordinal response. The values must be in the range 1,2,..., number of categories. Missing values are not allowed.
link	The link function. Choices are “logit” for the logit link function, and “probit” for the probit link function.
iprint	logical indicator, default is FALSE, for whether the iterations for numerical maximum likelihood should be printed.
maxiter	maximum number of Newton-Raphson iterations, default = 20.
toler	tolerance for convergence in Newton-Raphson iterations, default = 1.e-6.

Details

The ordinal probit model is similar to the ordinal logit model. The parameter estimate of ordinal logit are roughly 1.8 to 2 times those of ordinal probit.

Value

list of MLE of parameters and their associated standard errors, in the order cutpt1,...,cutpt(number of categ-1),b1,...b(number of covariates).

negloglik	value of negative log-likelihood, evaluated at MLE
gam	MLE of ordered cutpoint parameters
reg	MLE of regression parameters
cov	estimated covariance matrix of the parameters

References

Anderson, J.A. and Pemberton, J.D. (1985). The grouped continuous model for multivariate ordered categorical variables and covariate adjustment. *Biometrics*, **41**, 875–885.

Examples

```
#####
#           Ordinal regression
#####
##### read and set up data set
#####
data(sleep)
ydat=sleep$sleep
bydat=oydat=ydat
bydat[ydat==4]=0
bydat[ydat<4]=1
oydat[ydat==4]=1
oydat[ydat<4]=2
oydat[ydat==2]=3
oydat[ydat==3]=4

x1=sleep$heartrate
x2=sleep$temperature
z1=(x1-mean(x1))/sd(x1)
z2=(x2-mean(x2))/sd(x2)
xdat=cbind(z1,z2)
#####
#           select the link
#####
link="probit"
i.est<-iee.ord(xdat,ydat,link)
cat("\niest: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
```

margmodel

DENSITY AND CDF OF THE UNIVARIATE MARGINAL DISTRIBUTION

Description

Density and cdf of the univariate marginal distribution.

Usage

```
dmargmodel(y,mu,gam,invgam,margmodel)
pmargmodel(y,mu,gam,invgam,margmodel)
dmargmodel.ord(y,mu,gam,link)
pmargmodel.ord(y,mu,gam,link)
```

Arguments

- | | |
|----|---|
| y | Vector of (non-negative integer) quantiles. |
| mu | The parameter μ of the univariate distribution. |

gam	The parameter(s) γ that are not regression parameters. γ is NULL for Poisson and Bernoulli distribution.
invgam	The inverse of parameter γ of negative binomial distribution.
margmodel	Indicates the marginal model. Choices are “poisson” for Poisson, “bernoulli” for Bernoulli, and “nb1”, “nb2” for the NB1 and NB2 parametrization of negative binomial in Cameron and Trivedi (1998). See details.
link	The link function. Choices are “logit” for the logit link function, and “probit” for the probit link function.

Details

Negative binomial distribution $\text{NB}(\tau, \xi)$ allows for overdispersion and its probability mass function (pmf) is given by

$$f(y; \tau, \xi) = \frac{\Gamma(\tau + y)}{\Gamma(\tau) y!} \frac{\xi^y}{(1 + \xi)^{\tau+y}}, \quad y = 0, 1, 2, \dots, \tau > 0, \xi > 0,$$

with mean $\mu = \tau \xi = \exp(\beta^T x)$ and variance $\tau \xi (1 + \xi)$.

Cameron and Trivedi (1998) present the NBk parametrization where $\tau = \mu^{2-k} \gamma^{-1}$ and $\xi = \mu^{k-1} \gamma$, $1 \leq k \leq 2$. In this function we use the NB1 parametrization ($\tau = \mu \gamma^{-1}$, $\xi = \gamma$), and the NB2 parametrization ($\tau = \gamma^{-1}$, $\xi = \mu \gamma$); the latter is the same as in Lawless (1987).

`margmodel.ord` is a variant of the code for ordinal (probit and logistic) model. In this case, the response Y is assumed to have density

$$f_1(y; \nu, \gamma) = F(\alpha_y + \nu) - F(\alpha_{y-1} + \nu),$$

where $\nu = x\beta$ is a function of x and the p -dimensional regression vector β , and $\gamma = (\alpha_1, \dots, \alpha_{K-1})$ is the q -dimensional vector of the univariate cutpoints ($q = K - 1$). Note that F normal leads to the probit model and F logistic leads to the cumulative logit model for ordinal response.

Value

The density and cdf of the univariate distribution.

References

- Cameron, A. C. and Trivedi, P. K. (1998) *Regression Analysis of Count Data*. Cambridge: Cambridge University Press.
- Lawless, J. F. (1987) Negative binomial and mixed Poisson regression. *The Canadian Journal of Statistics*, **15**, 209–225.

Examples

```
y<-3
gam<-2.5
invgam<-1/2.5
mu<-0.5
margmodel<-"nb2"
dmargmodel(y,mu,gam,invgam,margmodel)
```

```
pmargmodel(y, mu, gam, invgam, margmodel)
link="probit"
dmargmodel.ord(y, mu, gam, link)
pmargmodel.ord(y, mu, gam, link)
```

pbvt

*BIVARIATE NORMAL AND STUDENT CDFs WITH VECTORIZED INPUTS***Description**

Bivariate normal and Student cdfs with vectorized inputs

Usage

```
pbvt(z1, z2, param, icheck=FALSE)
```

Arguments

<code>z1</code>	scalar or vector of reals
<code>z2</code>	scalar or vector of reals
<code>param</code>	vector of length 2, or matrix with 2 columns; vectors and number of rows of matrix cannot be different if larger than 1; for param, first column is rho, second column is df.
<code>icheck</code>	TRUE if checks are made for proper inputs, default of FALSE

Value

cdf value(s)

References

Joe H (2014) *CopulaModel: Dependence Modeling with Copulas*. Software for book: *Dependence Modeling with Copulas*, Chapman & Hall/CRC, 2014.

Examples

```
cat("\n pbvt rho changing\n")
z1=.3; z2=.4; rho=seq(-.9,.9,.1); nu=2
param=cbind(rho,rep(nu,length(rho)))
out1=pbvt(z1,z2,param)
print(cbind(rho,out1))
cat("\n pbvt z1 changing\n")
z1=seq(-2,2,.4)
z2=.4; rho=.5; nu=2
out2=pbvt(z1,z2,c(rho,nu))
print(cbind(z1,out2))
```

polio

*Polio cases in USA from Jan 1970 till Dec 1983***Description**

The data set contains the monthly number of cases of poliomyelitis in the United States between 1970 and 1983.

Usage

```
data(polio)
```

Format

The dataset consists of one variable of 168 monthly observations.

`polio` a numeric vector

Source

Zeger, S. A Regression Model for Time Series of Counts. *Biometrika*, **75**(4):621–629.

Examples

```
data(polio)
```

sleep

*Infant sleep status data***Description**

The sleep data consist of sleep state measurements of a newborn infant together with his heart rate and temperature sampled every 30 seconds. The sleep states are classified as: (1) quiet sleep, (2) indeterminate sleep, (3) active sleep, (4) awake. The total number of observations is equal to 1024 and the objective is to predict the sleep state based on covariate information.

Usage

```
data(sleep)
```

Format

A data frame with 1024 observations on the following 3 variables:

`heartrate` Heart rate.

`sleep` An ordinal time series in the sense that the response increases from awake to active sleep, i.e., (4) < (1) < (2) < (3).

`temperature` Temperature

Source

Fokianos, K. and Kedem, B. (2003). Regression theory for categorical time series. *Statistical Science*, **18**(3):357–376.

Examples

```
data(sleep)
```

wcl

SOLVING THE WEIGHTED COMPOSITE LIKELIHOOD ESTIMATING EQUATIONS WITH INPUTS THE WEIGHT MATRICES AND DATA

Description

Solving the weighted composite likelihood estimating equations with inputs the weight matrices and data.

Usage

```
wcl(start,WtScMat,xdat,ydat,margmodel,link)
wcl.ord(start,WtScMat,xdat,ydat,link)
```

Arguments

start	A starting value of the vector of regression and not regression parameters. The composite likelihood estimates of regression and not regression parameters is a good starting value.
WtScMat	A list containing the following components. omega: the matrix $\Omega^{(1)}$; delta: the matrix $\Delta^{(1)}$; X: the matrix \mathbf{X} .
xdat	The $d \times p$ matrix of covariates, where d is the length of the time-series and p is the number of covariates including the unit first column to account for the intercept (except for ordinal regression where there is no intercept).
ydat	The d -dimensional vector of discrete time series response, where d is the length of the series.
margmodel	Indicates the marginal model. Choices are “poisson” for Poisson, “bernoulli” for Bernoulli, and “nb1”, “nb2” for the NB1 and NB2 parametrization of negative binomial in Cameron and Trivedi (1998).
link	The link function. Choices are “log” for the log link function, “logit” for the logit link function, and “probit” for the probit link function.

Details

Obtain estimates $\hat{\alpha}$ of the univariate parameters solving the weighted composite likelihood estimating equations.

Note that wcl.ord is a variant of the code for ordinal (probit and logistic) regression.

Value

A list containing the following components:

- root The weighted composite likelihood estimates.
- f.root The value of the weighted composite likelihood estimating equations evaluated at the root.
- iter The number of iterations used.
- estim.precis The estimated precision for root.

Author(s)

Aristidis K. Nikoloulopoulos <A.Nikoloulopoulos@uea.ac.uk>

References

Nikoloulopoulos, A.K. (2022) Efficient and feasible inference for high-dimensional normal copula regression models. *Arxiv e-prints*, <arXiv:2203.04619>. <https://arxiv.org/abs/2203.04619>.

See Also

[weightMat](#), [godambe](#)

Examples

```
#####
# NB2 regression for count time-series data
#####
#####
# read and set up data set
#####
data(polio)
ydat <- polio
d=length(ydat)
tvec=1:length(ydat)
tvec1=tvec-73
xdat <- cbind(1, tvec1/1000, cos(2 * pi * tvec1 / 12), sin(2 * pi * tvec1 / 12),
               cos(2 * pi * tvec1 / 6), sin(2 * pi * tvec1 / 6))
#####
# select the marginal model
#####
margmodel="nb2"
#####
# select the ARMA structure
#####
p=2;q=1
#####
# perform CL1 estimation
#####
i.est<-iee(xdat,ydat,margmodel)
```

```

cat("\nient: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
est.rho<-cl(p=p,q=q,b=i.est$reg,gam=i.est$gam,
             xdat,ydat,margmodel,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
#####
#          obtain the weight matrices
#####
WtScMat<-weightMat(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,
                      p=p,q=q,xdat,margmodel)
#####
#          obtain the weighted composite likelihood estimates
#####
est<-wcl(start=c(i.est$reg,i.est$gam),WtScMat,xdat,ydat,
          margmodel,link)
cat("est=parameter estimates\n")
print(est$r)
#####
#          Ordinal time-series regression
#####
#####
#          read and set up data set
#####
data(sleep)
ydat=sleep$sleep
bydat=oydat=ydat
bydat[ydat==4]=0
bydat[ydat<4]=1
oydat[ydat==4]=1
oydat[ydat<4]=2
oydat[ydat==2]=3
oydat[ydat==3]=4

x1=sleep$heartrate
x2=sleep$temperature
z1=(x1-mean(x1))/sd(x1)
z2=(x2-mean(x2))/sd(x2)
xdat=cbind(z1,z2)
#####
#          select the link
#####
link="probit"
#####
#          select the ARMA structure
#####
p=1;q=0
#####
#          perform CL1 estimation
#####
i.est<-iee.ord(xdat,oydat,link)
cat("\nient: IEE estimates\n")
print(c(i.est$reg,i.est$gam))

```

```

est.rho<-cl.ord(p=p,q=q,b=i.est$reg,gam=i.est$gam,
                  xdat,oydat,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
#####
# obtain the weight matrices
#####
WtScMat<-weightMat.ord(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,
                        p=p,q=q,xdat,link)
#####
# obtain the weighted composite likelihood estimates
#####
est<-wcl.ord(start=c(i.est$reg,i.est$gam),WtScMat,
               xdat,oydat,link)
cat("est=parameter estimates\n")
print(est$r)

```

weightMat*WEIGHT MATRICES FOR THE WEIGHTED COMPOSITE LIKELIHOOD ESTIMATING EQUATIONS***Description**

Weight matrices for the weighted composite likelihood estimating equations.

Usage

```
weightMat(b,gam,rh,p,q,xdat,margmodel,link)
weightMat.ord(b,gam,rh,p,q,xdat,link)
```

Arguments

b	The regression coefficients.
gam	The univariate parameters that are not regression coefficients. That is the parameter γ of negative binomial distribution or the q -dimensional vector of the univariate cutpoints of ordinal model. γ is NULL for Poisson and binary regression.
rh	The vector of autoregressive and moving average parameters in high-dimensional normal copula regression models with an ARMA(p, q) correlation matrix.
p	The order of the autoregressive component.
q	The order of the moving average component.
xdat	The $d \times p$ matrix of covariates, where d is the length of the time-series and p is the number of covariates including the unit first column to account for the intercept (except for ordinal regression where there is no intercept).

<code>margmodel</code>	Indicates the marginal model. Choices are “poisson” for Poisson, “bernoulli” for Bernoulli, and “nb1”, “nb2” for the NB1 and NB2 parametrization of negative binomial in Cameron and Trivedi (1998).
<code>link</code>	The link function. Choices are “log” for the log link function, “logit” for the logit link function, and “probit” for the probit link function.

Details

The matrices that form the weight matrices $\mathbf{W}^{(1)}$ of the weighted composite likelihood estimating equations in Nikoloulopoulos et al. (2022). Note that `weightMat.ord` is a variant of the code for ordinal (probit and logistic) regression.

Value

A list containing the following components:

<code>omega</code>	The $\Omega^{(1)}$ matrix.
<code>delta</code>	The $\Delta^{(1)}$ matrix.
<code>X</code>	The \mathbf{X} matrix.

Author(s)

Aristidis K. Nikoloulopoulos <A.Nikoloulopoulos@uea.ac.uk>

References

Nikoloulopoulos, A.K. (2022) Efficient and feasible inference for high-dimensional normal copula regression models. *Arxiv e-prints*, <arXiv:2203.04619>. <https://arxiv.org/abs/2203.04619>.

See Also

[wcl](#), [godambe](#),

Examples

```
#####
# NB2 regression for count time-series data
#####
# read and set up data set
#####
data(polio)
ydat <- polio
d=length(ydat)
tvec=1:length(ydat)
tvec1=tvec-73
xdat <- cbind(1, tvec1/1000, cos(2 * pi * tvec1 / 12), sin(2 * pi * tvec1 / 12),
               cos(2 * pi * tvec1 / 6), sin(2 * pi * tvec1 / 6))
#####
# select the marginal model
```

```

#####
margmodel="nb2"
#####
#           select the ARMA structure
#####
p=2;q=1
#####
#           perform CL1 estimation
#####
i.est<-iee(xdat,ydat,margmodel)
cat("\nest: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
est.rho<-cl(p=p,q=q,b=i.est$reg,gam=i.est$gam,
             xdat,ydat,margmodel,link)
cat("\nest.rho: CL estimates\n")
print(est.rho$e)
#####
#           obtain the weight matrices
#####
WtScMat<-weightMat(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,
                     p=p,q=q,xdat,margmodel)
#####
#           Ordinal time-series regression
#####
#####
#           read and set up data set
#####
data(sleep)
ydat=sleep$sleep
bydat=oydat=ydat
bydat[ydat==4]=0
bydat[ydat<4]=1
oydat[ydat==4]=1
oydat[ydat<4]=2
oydat[ydat==2]=3
oydat[ydat==3]=4

x1=sleep$heartrate
x2=sleep$temperature
z1=(x1-mean(x1))/sd(x1)
z2=(x2-mean(x2))/sd(x2)
xdat=cbind(z1,z2)
#####
#           select the link
#####
link="probit"
#####
#           select the ARMA structure
#####
p=1;q=0
#####
#           perform CL1 estimation
#####

```

```
i.est<-iee.ord(xdat,oydat,link)
cat("\niest: IEE estimates\n")
print(c(i.est$reg,i.est$gam))
est.rho<-cl.ord(p=p,q=q,b=i.est$reg,gam=i.est$gam,
                 xdat,oydat,link)
cat("\nest.rho: CL1 estimates\n")
print(est.rho$e)
WtScMat<-weightMat.ord(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,xdat,ydat,id,tvec,corstr,link)
#####
# obtain the weight matrices
#####
WtScMat<-weightMat.ord(b=i.est$reg,gam=i.est$gam,rh=est.rho$e,
                         p=p,q=q,xdat,link)
```

Index

- * **datasets**
 - polio, 14
 - sleep, 14
- * **distribution**
 - margmodel, 11
 - pbvt, 13
- * **package**
 - weightedCL-package, 2
- * **regression**
 - cl, 2
 - godambe, 5
 - iee, 8
 - iee.ord, 10
 - wcl, 15
- cl, 2
- dmargmodel (margmodel), 11
- godambe, 5, 16, 19
- iee, 3, 8
- iee.ord, 10
- margmodel, 11
- margmodel.ord (margmodel), 11
- nlm, 3
- pbvt, 13
- pmargmodel (margmodel), 11
- polio, 14
- sleep, 14
- wcl, 3, 6, 15, 19
- weightedCL-package, 2
- weightMat, 6, 16, 18